


PRELIMINARY AMENDMENT
Attorney Docket Q63519

REMARKS

Entry and consideration of this Amendment is respectfully requested.

Respectfully submitted,


David J. Cushing
Registration No. 28,703

SUGHRUE, MION, ZINN,
MACPEAK & SEAS, PLLC
2100 Pennsylvania Avenue, N.W.
Washington, D.C. 20037-3213
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

Date: June 1, 2001

APPENDIX

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS:

Claims 21 and 28 are canceled.

The claims are amended as follows:

9. (Amended) A waveguide directional filter arrangement as claimed in ~~any one of~~ ~~claims 2, 4 to 8~~ claim 2, wherein said inwardly extending sections are approximately hemicycle-shaped planar sections.

12. (Amended) A waveguide directional filter arrangement as claimed in ~~claims 2, 4 to 8~~, claim 2 wherein said inwardly extending sections are hemicycle-shaped portions of cylinders, whose axes are normal to said aperture's major plane.

17. (Amended) A waveguide directional filter arrangement as claimed in ~~any one of~~ ~~claims 4-16~~ claim 4, wherein the aspect ratio of said wall sections is approximately 4:1.

18. (Amended) A waveguide directional filter arrangement as claimed in ~~any one of~~ ~~claims 3 to 17~~ claim 3, wherein at least one said resonator element includes a plurality of cooling fins operatively attached thereto.

PRELIMINARY AMENDMENT
Attorney Docket Q63519

19. (Amended) A waveguide directional filter arrangement as claimed in ~~any one of claims 3 to 18~~ claim 3, wherein at least one said resonator element includes at least one tuning element means.

20. (Amended) A waveguide directional filter arrangement as claimed in ~~any one of the preceding claims~~ claim 1, wherein said resonator element is symmetric.

27. (Amended) An adjustable aperture arrangement as claimed in ~~any one of claims 24, 25 or 26~~ claim 24, wherein the screw head includes a bayonet socket for cooperating with a tool having a T-shaped end.

29. (Amended) ~~An adjustable aperture arrangement as claimed in any one of claims 22 to 28, operatively incorporated in a waveguide directional filter arrangement as claimed in any one of claims 1 to 21~~ A waveguide directional filter arrangement comprising an input waveguide and an output waveguide connected by a resonator structure, wherein said input waveguide and said output waveguide each include broad wall sections joined by narrow wall sections whose aspect ratio is greater than 2:1, and wherein said resonator structure comprises a housing having access holes, at least two cavity resonators coupled by an adjustable coupling aperture arrangement in a substantially planar wall common to both said resonators, said adjustable coupling aperture arrangement including at least one slit of predetermined dimensions, the at least one slit communicating with a respective access hole via an associated passageway that lies within the boundary of major surfaces of said planar wall, wherein said at least one slit is

PRELIMINARY AMENDMENT
Attorney Docket Q63519

provided with a moveable metal slug that is slideably retained by opposite longitudinal edges of the slit, whereby said slug can be engaged and slideably manipulated by a tool, introduced into said access hole and guided to said slug via said passageway, into a position in which electrical contact between said slug and said edges of the slit produces a desired change in effective electrical length of the slit.